© 2023-09 Arthrex, Inc. (USA) vLF1-000156-en-US_A; To Order, Call: 888-215-3740



Date: _

Account Number: ____

Distal Femur Osteotomy Plate, SS, 3.5 mm, Left PRODUCT # LOT # QTY HOLES UDI-DI VAR-3035DF0-L

Distal Femur Osteotomy Plate, SS, 3.5 mm, Right

Distal Femur Osteotomy Plate, SS, 3.5 mm, Right						
QTY	PRODUCT #	HOLES	LOT #	UDI-DI		
	VAR-3035DFO-R				O R	
					U	
					0	
					0	
					Í	

Low	-Profile Locking S	Screw, SS, 3.5 n	ım	
QTY	PRODUCT #	LENGTH	LOT #	UDI-DI
	VAR-8835L-08	8 mm		
	VAR-8835L-10	10 mm		
	VAR-8835L-12	12 mm		
	VAR-8835L-14	14 mm		
	VAR-8835L-16	16 mm		
	VAR-8835L-18	18 mm		
	VAR-8835L-20	20 mm		
	VAR-8835L-22	22 mm		
	VAR-8835L-24	24 mm		
	VAR-8835L-26	26 mm		
	VAR-8835L-28	28 mm		
	VAR-8835L-30	30 mm		
	VAR-8835L-32	32 mm		
	VAR-8835L-34	34 mm		

Low-Profile Locking Screw, SS, 3.5 mm

Eow Frome Eoeking Screw, 55, 5.5 min						
PRODUCT #	LENGTH	LOT #	UDI-DI			
VAR-8835L-36	36 mm					
VAR-8835L-38	38 mm					
VAR-8835L-40	40 mm					
VAR-8835L-42	42 mm					
VAR-8835L-44	44 mm					
VAR-8835L-46	46 mm					
VAR-8835L-48	48 mm					
VAR-8835L-50	50 mm					
VAR-8835L-52	52 mm					
VAR-8835L-54	54 mm					
VAR-8835L-56	56 mm					
VAR-8835L-58	58 mm					
VAR-8835L-60	60 mm					
	PRODUCT # VAR-8835L-36 VAR-8835L-38 VAR-8835L-38 VAR-8835L-40 VAR-8835L-42 VAR-8835L-44 VAR-8835L-46 VAR-8835L-48 VAR-8835L-50 VAR-8835L-52 VAR-8835L-54 VAR-8835L-56 VAR-8835L-58	PRODUCT # LENGTH VAR-8835L-36 36 mm VAR-8835L-38 38 mm VAR-8835L-40 40 mm VAR-8835L-42 42 mm VAR-8835L-42 42 mm VAR-8835L-44 44 mm VAR-8835L-46 46 mm VAR-8835L-48 48 mm VAR-8835L-50 50 mm VAR-8835L-52 52 mm VAR-8835L-54 54 mm VAR-8835L-56 56 mm VAR-8835L-58 58 mm	PRODUCT # LENGTH LOT # VAR-8835L-36 36 mm VAR-8835L-38 38 mm VAR-8835L-40 40 mm VAR-8835L-42 42 mm VAR-8835L-42 42 mm VAR-8835L-44 44 mm VAR-8835L-46 46 mm VAR-8835L-50 50 mm VAR-8835L-52 52 mm VAR-8835L-54 54 mm VAR-8835L-56 56 mm VAR-8835L-58 58 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000156-en-US_A; To Order, Call: 888-215-3740



Date:	

Account Number: ____

QTY	PRODUCT #	LENGTH	LOT #	UDI-DI
	VAR-8835-10	10 mm		
	VAR-8835-12	12 mm		
	VAR-8835-14	14 mm		
	VAR-8835-16	16 mm		
	VAR-8835-18	18 mm		
	VAR-8835-20	20 mm		
	VAR-8835-22	22 mm		
	VAR-8835-24	24 mm		
	VAR-8835-26	26 mm		
	VAR-8835-28	28 mm		
	VAR-8835-30	30 mm		
	VAR-8835-32	32 mm		
	VAR-8835-34	34 mm		
	VAR-8835-36	36 mm		

Low-Profile Cortical Screw, SS, 3.5 mm

Low-Prome Conned Screw, 55, 5.5 min					
QTY	PRODUCT #	LENGTH	LOT #	UDI-DI	
	VAR-8835-38	38 mm			
	VAR-8835-40	40 mm			
	VAR-8835-42	42 mm			
	VAR-8835-44	44 mm			
	VAR-8835-46	46 mm			
	VAR-8835-48	48 mm			
	VAR-8835-50	50 mm			
	VAR-8835-52	52 mm			
	VAR-8835-54	54 mm			
	VAR-8835-56	56 mm			
	VAR-8835-58	58 mm			
	VAR-8835-60	60 mm			
	VAR-8835-65	65 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000156-en-US_A; To Order, Call: 888-215-3740



Date:	

Account Number: ____

QTY	Profile Locking S	LENGTH	LOT #	UDI-DI
WII		LENUIN	LUI #	
	VAR-8840L-18	18 mm		
	VAR-8840L-20	20 mm		
		201111		10-10-0
	VAR-8840L-22	22 mm		
	VAR-8840L-24	24 mm		
	VAIC-00+0L-2+	27 11111		5206
	VAR-8840L-26	26 mm		
	VAR-8840L-28	28 mm		
	VAK-8840L-28	28 11111		<u> 2555</u>
	VAR-8840L-30	30 mm		
	VAR-8840L-32	32 mm		<u>6/9/5</u>
	VAR-8840L-34	34 mm		2
		25		
	VAR-8840L-35	35 mm		6276
	VAR-8840L-36	36 mm		
				DOSS
	VAR-8840L-38	38 mm		
		40 mm		8463
	VAR-8840L-40	40 mm		50.69 5763

Low-Profile Locking Screw, SS, 4.0 mm

LOW-PTOTHE LOCKING SCIEW, 55, 4.0 IIIII					
QTY	PRODUCT #	LENGTH	LOT #	UDI-DI	
	VAR-8840L-42	42 mm			
	VAR-8840L-44	44 mm			
	VAR-8840L-45	45 mm			
	VAR-8840L-46	46 mm			
	VAR-8840L-48	48 mm			
	VAR-8840L-50	50 mm			
	VAR-8840L-52	52 mm			
	VAR-8840L-54	54 mm			
	VAR-8840L-55	55 mm			
	VAR-8840L-56	56 mm			
	VAR-8840L-58	58 mm			
	VAR-8840L-60	60 mm			
	VAR-8840L-65	65 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000156-en-US_A; To Order, Call: 888-215-3740



Date:		
Account Number:		

Disposables

QTY	PRODUCT #	DESCRIPTION	LOT #	UDI-DI
	VAR-4035D	Drill bit, solid, AO, 2.8 mm		
	VAR-4040D	Drill bit, solid, A0, 3.5 mm		
	VAR-8937K	Guidewire w/ trocar, 1.3 mm		
	VAR-8941BB	BB-Tak, large		
	VAR-8941TBB	BB-Tak, large, threaded		
	VAR-8943-30	Drill bit, solid, A0, 2.5 mm		

Instruments

QTY	PRODUCT #	DESCRIPTION	LOT #	UDI-DI
	VAR-4000-09	Bending iron, large		
	VAR-4035-04	Bending plug, cannulated, 3.5 mm		
	VAR-4040DG	Drill/depth guide, locking, 4 mm		
	VAR-4035KDG	K-wire drill guide, locking, 3.5 mm		
	VAR-4035DG	Drill guide, threaded, locking, 2.5 mm		
	VAR-8943-14	Drill guide, 3.5 mm/2.5 mm		
	VAR-8943-10	Screwdriver, T15 hexalobe		
	VAR-8943-15	Depth device, low-profile, 2.7 mm/3.5 mm/4.0 mm		
	VAR-8941DH	Driver, T15 hexalobe		

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.